

SAPPHIRE PRECISION LUBE SPRAY

Page: 1

Compilation date: 27/11/2014 Revision date: 05/02/2016

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SAPPHIRE PRECISION LUBE SPRAY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Multipurpose Lubricant

1.3. Details of the supplier of the safety data sheet

Company name: ROCOL

ROCOL House Swillington Leeds West Yorkshire LS26 8BS ENGLAND Tel: +44 (0) 113 232 2700 Fax: +44 (0) 113 232 2740

Email: <u>customer-service@rocol.com</u>

1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Flam. Aerosol 1: H222; Skin Irrit. 2: H315; -: H229
Most important adverse effects:	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin
	irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:	
Hazard statements:	H222: Extremely flammable aerosol.
	H229: Pressurised container: May burst if heated
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H412: Harmful to aquatic life with long lasting effects.
Hazard pictograms:	GHS02: Flame
	GHS07: Exclamation mark
Hazard pictograms:	H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. GHS02: Flame



SAPPHIRE PRECISION LUBE SPRAY

	Page:	2
Signal words:	Danger	
Precautionary statements:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.	
	No smoking.	
	P273: Avoid release to the environment.	
	P211: Do not spray on an open flame or other ignition source.	
	P251: Do not pierce or burn, even after use.	
	P264: Wash thoroughly after handling.	
	P280: Wear protective gloves/protective clothing/eye protection/face protection.	
	P302+352: IF ON SKIN: Wash with plenty of water/.	
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
	P332+313: If skin irritation occurs: Get medical advice.	
	P337+313: If eye irritation persists: Get medical attention.	
	P362: Take off contaminated clothing.	
	P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.	

2.3. Other hazards

Other hazards: Combustion may also generate: decomposition products that may lead to polymer fume

fever (24 - 48 hr influenza-like symptoms).

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE) - REACH registered number(s): EXEMPT

EINECS	CAS	PBT / WEL	CLP Classification	Percent
270-704-2	68476-85-7	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	2.4- 22.5%

HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS - REACH registered number(s): 01-21194755-33-XXXX

927-510-4	64742-49-0	-	Flam. Liq. 2: H225; Aquatic Chronic 2:	2.4-
			H411; Skin Irrit. 2: H315; STOT SE 3:	22.5%
			H336; Asp. Tox. 1: H304; -: EUH066	

2-ETHYLHEXYL ZINC DITHIOPHOSPHATE

224-2	35-5	4259-15-8	-	Eye Dam. 1: H318; Aquatic Chronic 2:	1-2.4%
				H411	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

SAPPHIRE PRECISION LUBE SPRAY

Page: 3

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: No data available.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Use water spray to cool containers. Alcohol resistant foam. Dry chemical powder. Carbon dioxide. Do not use water.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Extremely flammable. Forms explosive air-vapour mixture. In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of hydrogen fluoride.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 13 of SDS.

Section 7: Handling and storage

SAPPHIRE PRECISION LUBE SPRAY

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Smoking is forbidden.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight. Ensure lighting and electrical equipment are not a source of ignition.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)

Workplace e	exposure limits:		Respirable dust			
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL		
UK	1000ppm 1750mg/m3	1250ppm 2180mg/m3	-	-		

HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

		UK	2,085mg/m3	-	-	-
--	--	----	------------	---	---	---

DNEL/PNEC Values

Hazardous ingredients:

HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

Туре	Exposure	Value	Population	Effect
DNEL	Oral	149	Consumers	Local
DNEL	Inhalation	447	Consumers	Local
DNEL	Inhalation	2085	Workers	Local
DNEL	Dermal	300	Workers	Local

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are
	not a source of ignition.
Respiratory protection:	Respiratory protection not normally required.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses with side-shields.
Skin protection:	Protective clothing.
Environmental:	No data available

SAPPHIRE PRECISION LUBE SPRAY

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic phy	sical and chemical properties	
State:	Aerosol	
Colour:	Off-white	
Odour:	Characteristic odour	
Evaporation rate:	Fast	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Miscible	
Viscosity:	Non-viscous	
Boiling point/range°C:	< 0 Melting point/range°	C: < -100
Flammability limits %: lower:	1.8 upp	er: 9.4
Flash point°C:	< -100 Autoflammability°	C: > 200
Vapour pressure:	> 200 Relative densi	: y: <1

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: No data available.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of hydrogen fluoride. Combustion may also generate: decomposition products that may lead to polymer fume fever (24 - 48 hr influenza-like symptoms).

Section 11: Toxicological information

11.1. Information on toxicological effects

SAPPHIRE PRECISION LUBE SPRAY

Page: 6

Hazardous ingredients:

HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

2-ETHYLHEXYL ZINC DITHIOPHOSPHATE

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>3100	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

Daphnia magna	96H LC50	>1 < 10	mg/l
FISH	96H LC50	>1 <10	mg/l

2-ETHYLHEXYL ZINC DITHIOPHOSPHATE

ALGAE	72H ErC50	>240	mg/l
DAPHNIA	48H EC50	1 - 10	mg/l
FISH	96H LC50	1 - 10	mg/l

12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

SAPPHIRE PRECISION LUBE SPRAY

12.4. Mobility in soil

Mobility: Highly volatile. Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal company.
Recovery operations:	No data available
Waste code number:	16 05 05
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or national regulations
	regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

Transport class: 2.1

14.4. Packing group

Packing group: n/a

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No data available

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: No data available.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: No data available

Marine pollutant: No

SAPPHIRE PRECISION LUBE SPRAY

	Page: 8
15.2. Chemical Safety Assess	sment
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture by
	the supplier.
Section 16: Other informatio	n
	••
Other information	
Other information:	EC Directive 1999/45/EC relating to the classification, packaging and labelling of dangerous
	preparations.
	EC Directive 91/155/EEC defining the laying down and detailed arrangements for the system
	of specific information relating to dangerous preparations.
	EC Directive 94/1/EC adapting some technicalities of Council Directive 75/324/EEC on the
	approximation of the laws of Member States relating to aerosol dispensers.
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	H220: Extremely flammable gas.
	H222: Extremely flammable aerosol.
	H225: Highly flammable liquid and vapour.
	H229: Pressurised container: May burst if heated
	H280: Contains gas under pressure; may explode if heated.
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H411: Toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and
	shall be used only as a guide. This company shall not be held liable for any damage resulting
	from handling or from contact with the above product.