SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

LPS® Premium Leak Detector (Concentrate & Ready-to-Use)

of the mixture

Registration number

Synonyms None.

Part Number 61006, 61016, M61006, M61016

Issue date 08-December-2014

Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A ready-to-use water-based fluid designed to generate bubbles when air or gas leaks in small

amounts from pressurized lines.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet
Supplier Geocel Limited

Company name Western Wood Way, Langage Science Park, Plympton,

Address

Plymouth, PL7 5BG United Kingdom

Telephone +44 (0)1752 202060 / +44 (0)1752 334384

In Case of Emergency +001 703-527-3887

Manufacturer

Company name

LPS Laboratories, a division of Illinois Tool Works, Inc.

Address

4647 Hugh Howell Rd., Tucker, GA 30084 (U.S.A.)

Website http://www.lpslabs.com e-mail sds@lpslabs.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

Environmental hazards Not classified for hazards to the environment.

Specific hazards None known.

Main symptoms Direct contact with eyes may cause temporary irritation. Exposed may experience eye tearing,

redness, and discomfort.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Propylene glycol

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Material name: LPS® Premium Leak Detector (Concentrate & Ready-to-Use) - LPS Laboratories (EU) 61006, 61016, M61006, M61016 Version #: 01 Issue date: 08-December-2014

Dispose of waste and residues in accordance with local authority requirements. Disposal

Supplemental label information None. 2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name CAS-No. / EC No. REACH Registration No. INDEX No. **Notes**

Propylene glycol 15 - 40 57-55-6

200-338-0

Classification: DSD: -

CLP: -

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

The full text for all R- and H-phrases is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.

4.2. Most important symptoms and effects, both acute and

delayed

Treat symptomatically.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Alcohol resistant foam. Water spray. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Special fire fighting

procedures

media

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Keep unnecessary personnel away. In case of spills, beware of slippery floors and surfaces. Use

personal protection recommended in Section 8 of the SDS. personnel

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the For emergency responders

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapours or divert vapour cloud drift. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

Use personal protection recommended in Section 8 of the SDS. For waste disposal, see section

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

Not available. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Occupational exposure limits

Components	Туре	Value	
Propylene glycol (CAS 57-55-6)	MAC	10 mg/m3	
•		150 ppm	
Ireland. Occupational Expos			
Components	Туре	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	470 mg/m3	Total vapour and particulates.
		10 mg/m3	Particulate.
		150 ppm	Total vapour and particulates.
	exposure limit values of chemical su		ent
Components	Туре	Value	
Propylene glycol (CAS 57-55-6)	TWA	7 mg/m3	
Lithuania. OELs. Limit Valu	ues for Chemical Substances, Genera	I Requirements	
Components	Туре	Value	
Propylene glycol (CAS 57-55-6)	TWA	7 mg/m3	
Norway. Administrative Nor	ms for Contaminants in the Workplac	e	
Components	Туре	Value	
Propylene glycol (CAS 57-55-6)	TLV	79 mg/m3	
		25 ppm	
UK. EH40 Workplace Expos	sure Limits (WELs)		
Components	Type	Value	Form
	- 76 -		
	TWA	474 mg/m3	Total vapour and particulates.
Propylene glycol (CAS 57-55-6)	<u> </u>	474 mg/m3 10 mg/m3	
	<u> </u>	G	particulates.
57-55-6)	<u> </u>	10 mg/m3 150 ppm	particulates. Particulate. Total vapour and
ogical limit values ommended monitoring	TWA	10 mg/m3 150 ppm r the ingredient(s).	particulates. Particulate. Total vapour and
	TWA No biological exposure limits noted fo	10 mg/m3 150 ppm r the ingredient(s).	particulates. Particulate. Total vapour and

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. - Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Form Liquid.

Colour Clear water-white

Odour Mild. None. **Odour threshold** Not available.

6 - 8 pН

Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point Tag closed cup - None

Evaporation rate 1 (Water = 1)Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapour pressure 18 mm Hg @ 20°C > 1 (Air = 1)Vapour density

1,00 - 1,10 @ 20°C Relative density

Solubility(ies)

100 % in water Solubility (water) Not available. Solubility (other)

Partition coefficient > 1

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** < 3 cSt @ 25°C Viscosity Not available. **Explosive properties Oxidizing properties** Not available.

9.2. Other information

0 % per US State & Federal Consumer Product Regulations VOC (Weight %)

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport. **10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous

Carbon oxides.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation,

redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components Species Test results

Propylene glycol (CAS 57-55-6)

AcuteDermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Oral

LD50 Dog 19 g/kg

Guinea pig 19700 mg/kg

18,4 g/kg

Mouse 24900 mg/kg

23,9 g/kg 18 g/kg

Rabbit 18 g/kg

Rat 22000 mg/kg

Other

LD50 Mouse 6630 mg/kg

Rat 6423 mg/kg

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Direct contact with eyes may cause temporary irritation.

Serious eye damage/eye

irritation

Briodi domadi wiiri dydd may daddo idmporary imia

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Mixture versus substance information

No information available.

Other information This product has no known adverse effect on human health.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test results

Propylene glycol (CAS 57-55-6)

Aquatic

EC50 Crustacea Water flea (Daphnia magna) > 10000 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours

Species

12.2. Persistence and

degradability

Components

No data is available on the degradability of this product.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow)

> LPS® Premium Leak Detector (Concentrate & Ready-to-Use) > 1 Propylene glycol -0,92

Bioconcentration factor (BCF) Not available. No data available. 12.4. Mobility in soil 12.5. Results of PBT Not available.

and vPvB assessment

12.6. Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Disposal methods/information

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulationsFollow national regulation for work with chemical agents.15.2. Chemical safetyNo Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15 None.

Revision information None.

Training information Follow training instructions when handling this material.

Disclaimer

LPS Laboratories cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.