

INDUSTRIAL CLEANER RAPID DRYING SPRAY

Page: 1
Compilation date: 09/09/2014

Revision date: 03/02/2016

Revision No: 10

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: INDUSTRIAL CLEANER RAPID DRYING SPRAY

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Solvent cleaner.

## **1.3. Details of the supplier of the safety data sheet**

#### Company name: ROCOL

	ROCOL House
	Swillington
	Leeds
	West Yorkshire
	LS26 8BS
	ENGLAND
Tel:	+44 (0) 113 232 2700
Fax:	+44 (0) 113 232 2740

Email: <u>customer-service@rocol.com</u>

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

# Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP:	STOT SE 3: H336; Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Flam. Aerosol 1: H222;
	Skin Irrit. 2: H315; -: H229
Most important adverse effects:	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin
	irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to
	aquatic life with long lasting effects.

#### 2.2. Label elements

Label elements:	
Hazard statements:	H222: Extremely flammable aerosol.
	H229: Pressurised container: May burst if heated
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H411: Toxic to aquatic life with long lasting effects.

# INDUSTRIAL CLEANER RAPID DRYING SPRAY

**Page:** 2

Hazard pictograms:	GHS02: Flame
	GHS07: Exclamation mark
	GHS09: Environmental
Signal words:	Danger
Precautionary statements:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
	P211: Do not spray on an open flame or other ignition source.
	P251: Do not pierce or burn, even after use.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+352: IF ON SKIN: Wash with plenty of water/.
	P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
2.3. Other hazards	

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

### PROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	30-50%

HYDROCARBONS C7-C9, ISOALKANES - REACH registered number(s): 01-2119471305-42-0000

921-728-3	-	-	Flam. Liq. 2: H225; Skin Irrit. 2: H315;	30-50%
			Aquatic Chronic 2: H411; STOT SE 3:	
			H336; Asp. Tox. 1: H304	

#### CARBON DIOXIDE AEROSOL PROPELLANT

204-696-9	124-38-9	Substance with a Community	Press. Gas: H280	1-10%
		workplace exposure limit.		

# Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

# INDUSTRIAL CLEANER RAPID DRYING SPRAY

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: No data available.

Section 5: Fire-fighting measures

5.1. Extinguishing media

**Extinguishing media:** Do not use water. Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Highly flammable. Forms explosive air-vapour mixture. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of

ignition.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Do not use equipment in clean-up procedure which may produce sparks. Mix with sand or vermiculite. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 13 of SDS.

### Section 7: Handling and storage

# INDUSTRIAL CLEANER RAPID DRYING SPRAY

					Page: 4	
7.1. Precautions	for safe hand	dling				
Handling re	quirements:	Ensure the	Ensure there is sufficient ventilation of the area. Do not handle in a confined space.			
			s forbidden.			
7.2. Conditions f	for safe stora	ge, includi	ing any incompatibilities			
Storage	conditions:	Storo in a	cool well ventilated area	Koon away from sources a	fignition Koon away from	
Storage	conultions.		Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from lirect sunlight. Ensure lighting and electrical equipment are not a source of ignition.			
Suitable	nackaging:		be kept in original packagi			
				ng.		
7.3. Specific end	i use(s)					
Specific	end use(s):	No data a	vailable.			
ection 8: Expos	ure controls	/persona	I protection			
8.1. Control para	motors					
Hazardous ing PROPAN-2-OL Workplace exp				Respirable dust		
State	8 hour T		15 min. STEL	8 hour TWA	15 min. STEL	
UK	400 ppm, 99		500 ppm, 1250 mg/m3		-	
HYDROCARBO	••	•				
			_5			
	1400 mg/m3 F		-	-	-	
CARBON DIOX						
UK	5000ppm 91	50mg/m3	15000ppm 27400mg/m3	-	-	
DNEL/PNEC Val	ues					
	NEL / PNEC	No dote e	voiloble			
		ino data a				
8.2. Exposure co	ontrols					

 Engineering measures:
 Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition. The floor of the storage room must be impermeable to prevent the escape of liquids.

 Respiratory protection:
 Respiratory protection not normally required.

 Hand protection:
 Nitrile gloves.

 Eye protection:
 Safety glasses with side-shields.

 Skin protection:
 Protective clothing.

 Environmental:
 No data available

### INDUSTRIAL CLEANER RAPID DRYING SPRAY

Page: 5

#### 9.1. Information on basic physical and chemical properties

State:	Aerosol	
Colour:	Colourless	
Odour:	Characteristic odour	
Evaporation rate:	Fast	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Not miscible	
Viscosity:	Non-viscous	
Boiling point/range°C:	>80 Melting point/range°C:	<0
Flammability limits %: lower:	1 upper:	12
Flash point°C:	< 0°C Autoflammability°C:	>200
Vapour pressure:	>4 Relative density:	<1
VOC g/l:	710	

9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: No data available.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

# Section 11: Toxicological information

**11.1. Information on toxicological effects** 

Hazardous ingredients:

# INDUSTRIAL CLEANER RAPID DRYING SPRAY

Page: 6

# PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

#### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: No data available.

#### Section 12: Ecological information

#### 12.1. Toxicity

#### Hazardous ingredients:

### HYDROCARBONS C7-C9, ISOALKANES

Daphnia magna	48H EC50	2.4	mg/l
Pseudokirchneriella	72H ErC50	6.3	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H ErC50	18.4	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Highly volatile. Soluble in water.

# 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### INDUSTRIAL CLEANER RAPID DRYING SPRAY

#### 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations:	Specially engineered landfill (e.g. placement into lined discrete cells which are capped
	and isolated from one another and the environment, etc.).
Recovery operations:	Use principally as a fuel or other means to generate energy.
Waste code number:	16 05 06
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

Transport class: 2.1

14.4. Packing group

Packing group: n/a

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

#### 14.6. Special precautions for user

Special precautions: No data available

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: No data available.

#### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: No data available

#### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## INDUSTRIAL CLEANER RAPID DRYING SPRAY

# Section 16: Other information Other information Other information: Contains only FDA listed ingredients. NSF K1 registered. EC Directive 94/1/EC adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of Member States relating to aerosol dispensers. This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. Compiled in accordance with REACH. Phrases used in s.2 and s.3: H222: Extremely flammable aerosol. H225: Highly flammable liquid and vapour. H229: Pressurised container: May burst if heated H280: Contains gas under pressure; may explode if heated. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H411: Toxic to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.