## SAFETY DATA SHEET

## 1. Identification

Product identifier LPS® Tapmatic® Natural

Other means of identification

Part Number 44220, 44230, 44240

Recommended use A general purpose, industrial cutting fluid designed for cutting and machining steel, aluminum and

other types of metals.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name LPS Laboratories, a division of Illinois Tool Works, Inc.

Address 4647 Hugh Howell Rd.

Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency 1-800-424-9300 (inside U.S.)

+001 703-527-3887 (outside U.S.)

Website www.lpslabs.com E-mail sds@lpslabs.com

## 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Methyl Oleate		67762-26-9	5 - < 10

#### 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Any material that contacts the eye should be washed out immediately with water. If easy to do,

remove contact lenses. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth thoroughly. Get medical attention if symptoms occur. If ingestion of a large amount

does occur, call a poison control center immediately.

Direct contact with eyes may cause temporary irritation.

Most important

symptoms/effects, acute and

delayed

Material name: LPS® Tapmatic® Natural 747 Version #: 01 Issue date: 10-08-2013

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

**General information** 

Call a POISON CENTER or doctor/physician if you feel unwell.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Specific methods

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Move containers from fire area if you can do so without risk.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Avoid contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

Occupational exposure limits

**Biological limit values** 

Appropriate engineering controls

No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.

Skin protection

Other

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. Chemical resistant gloves

are recommended.

Avoid contact with the skin. Wear suitable protective clothing and gloves. Chemical resistant gloves.

Respiratory protection

Do not breathe dust/fume/gas/mist/vapors/spray. In case of insufficient ventilation, wear suitable

respiratory equipment.

Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Liquid. **Appearance** Liquid. Physical state Liquid. **Form** Color Green

Odor Spice

Odor threshold Not established
pH Not applicable
Melting point/freezing point Not established
Initial boiling point and boiling Not established

range

Flash point 348.8 °F (176.0 °C) Tag Closed Cup

Evaporation rate None

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%

Not established

Flammability limit - upper

(%)

Not established

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not established

Vapor density Not established

Relative density Solubility(ies)

Solubility (water) Not soluble in cold water

Partition coefficient > 1

(n-octanol/water)

Auto-ignition temperature Not established

Decomposition temperature Not established

Viscosity Not established

Other information

Heat of combustion Not established

Percent volatile 0 %

Specific gravity 0.88 - 0.89 @ 20°C

VOC (Weight %) 0 % per US State and Federal Consumer Product Regulations

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability**Material is stable under normal conditions. **Possibility of hazardous**Hazardous polymerization does not occur.

reactions

Conditions to avoid This product may react with oxidizing agents. Avoid high temperatures.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides.

#### 11. Toxicological information

## Information on likely routes of exposure

**Ingestion** May cause discomfort if swallowed.

**Inhalation** May cause irritation to the respiratory system.

**Skin contact** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Eye contact** May be irritating to eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Material name: LPS® Tapmatic® Natural 747 Version #: 01 Issue date: 10-08-2013

Components **Species Test Results** 

Methyl Oleate (CAS 67762-26-9)

Acute

Dermai

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye

Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity single exposure

Specific target organ toxicity repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Chronic effects Prolonged or repeated contact may cause drying, cracking, or irritation.

**Further information** This product has no known adverse effect on human health.

## 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Persistence and degradability Expected to biodegrade.

Not available. Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

LPS® Tapmatic® Natural

Mobility in soil Readily absorbed into soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

> 1

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not available.

the IBC Code

Material name: LPS® Tapmatic® Natural

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

## 15. Regulatory information

#### **US federal regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

No

hazardous substance SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

**US. Massachusetts RTK - Substance List** 

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

Not Listed.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 10-08-2013

Version # 01

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Disclaimer** Not available.