## Rohrgewindedichtung 670-542 Article number MRG.670.542

## Marston Domsel GmbH

53909 Zülpich



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 1 / 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

MD-Rohrgewindedichtung 670-542 Article number: MRG.670.542

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1 Relevant uses

Adhesive Sealing material

1.2.2 Uses advised against

None known.

### .3 Details of the supplier of the safety data sheet

Company Marston Domsel GmbH

Bergheimer Str. 15 53909 Zülpich / GERMANY Phone 0 22 52 / 94 15 - 0 Fax 0 22 52 / 17 44

Homepage www.marston-domsel.de E-mail info@marston-domsel.de

Address enquiries to

**Technical information** info@marston-domsel.de **Safety Data Sheet** sdb@chemiebuero.de

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Eye Irrit. 2: H319 Causes serious eye irritation.

Skin Sens. 1: H317 May cause an allergic skin reaction. STOT SE 3: H335 May cause respiratory irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

**Hazard pictograms** 

Signal word WARNING

Contains: Cumene hydroperoxide 2'-Phenylacetohydrazide

2,2'-Ethylenedioxydiethyl dimethacrylate

Methacrylic acid, monoester with Propan-1,2-diole

**Hazard statements** H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention. P337+P313 If eye irritation persists: Get medical advice / attention.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with local/regional/national/international

regulation.

## D-Rohrgewindedichtung 670-542 Article number MRG.670.542

## Marston Domsel GmbH

53909 Zülpich



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 2 / 10

#### 2.3 Other hazards

Other hazards Further hazards were not determined with the current level of knowledge.

## SECTION 3: Composition / Information on ingredients

#### **Product-type:**

The product is a mixture.

Range [%]	Substance
25 - 50	2,2'-Ethylenedioxydiethyl dimethacrylate
	CAS: 109-16-0, EINECS/ELINCS: 203-652-6
	GHS/CLP: Skin Sens. 1: H317
20 - 30	Methacrylic acid, monoester with Propan-1,2-diole
	CAS: 27813-02-1, EINECS/ELINCS: 248-666-3
	GHS/CLP: Eye Irrit. 2: H319 - Skin Sens. 1: H317
< 2	Cumene hydroperoxide
•	CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8
	GHS/CLP: Org. Perox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. 1B: H314 - Aquatic Chronic 2: H411 - STOT SE 3: H335
≤ 0,1	2'-Phenylacetohydrazide
	CAS: 114-83-0, EINECS/ELINCS: 204-055-3
	GHS/CLP: Acute Tox. 3: H301 - Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - STOT SE 3: H335

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

**General information** Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

**Eye contact**Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Get medical advice.

Rinse out mouth and give plenty of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

## SECTION 5: Fire-fighting measures

## 5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

e used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

## D-Rohrgewindedichtung 670-542 Article number MRG.670.542

# Marston Domsel GmbH 53909 Zülpich



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 3 / 10

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Wear full protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective clothing.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

Take up residues with absorbent material (e.g. sand).

### 6.4 Reference to other sections

See SECTION 8+13

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Open and handle container with care.

Keep away from sources of ignition - refrain from smoking.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Do not store together with acids.

Keep container in a well-ventilated place.

Keep container tightly closed.

Store in a dry place.

Recommended storage temperature: <25 °C.

Protect from sun.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

## -Rohrgewindedichtung 670-542 Article number MRG.670.542

## Marston Domsel GmbH

53909 Zülpich



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 4 / 10

### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

**Eye protection** Safety glasses. (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information.

In full contact:

> 0,4mm: Butyl rubber, >480 min (EN 374-1/-2/-3).

In splash contact:

> 0,4mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).

**Skin protection** Protective overalls.

Other Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

**Respiratory protection** Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form pasty

Color brown

Odor characteristic

Odour threshold not determined
pH-value not determined
pH-value [1%] not determined

Boiling point [°C] 216
Flash point [°C] 95

Flammability (solid, gas) [°C] not determined

Lower explosion limit not determined

Upper explosion limit not determined

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/ml] 1,0-1,1
Bulk density [kg/m³] not applicable
Solubility in water difficult to dissolve
Partition coefficient [n-octanol/water] not determined
Viscosity 550-750 cP (25°C)
Relative vapour density determined not determined

in air

Evaporation speed not determined Melting point [°C] not determined

Autoignition temperature [°C] > 400

**Decomposition temperature [°C]** not determined

### 9.2 Other information

No information available.

# Safety Data Sheet 1907/2006/EC - REACH (GB) -Rohrgewindedichtung 670-542 Article number MRG.670.542

# Marston Domsel GmbH 53909 Zülpich



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 5 / 10

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

## 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents and strong acids.

### 10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

Irritant gases/vapours.



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 6 / 10

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Product

inhalative. Based on the available information, the classification criteria are not fulfilled:

dermal, Based on the available information, the classification criteria are not fulfilled.:

ATE-mix, oral, > 2000 mg/kg bw.

Substance

Cumene hydroperoxide, CAS: 80-15-9

LD50, oral, Rat: 382 mg/kg (IUCLID)

LC50, inhalative, Rat: 1,37 mg/l/4h (GESTIS).

LC50, inhalative, Rat: 220 ppm/4h (IUCLID).

LDLo, dermal, Rat: 500 mg/kg (IUCLID).

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LD50, dermal, Rabbit: >3000 mg/kg bw (IUCLID).

LD50, oral, Rat: >4000 mg/kg bw (IUCLID)

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

LD50, oral, Rat: > 2000 mg/kg (Lit.)

2'-Phenylacetohydrazide, CAS: 114-83-0

ATE, oral, 100 mg/kg

Serious eye damage/irritation Toxicological data of complete product are not available.

Calculation method

Skin corrosion/irritation Toxicological data of complete product are not available.

No classification. Calculation method

Respiratory or skin sensitisation Toxicological data of complete product are not available.

May produce an allergic reaction.

Calculation method

Specific target organ toxicity -

single exposure

Toxicological data of complete product are not available.

May cause respiratory irritation.

Calculation method

Specific target organ toxicity -

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled. Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 7 / 10

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled .:

Substance

Cumene hydroperoxide, CAS: 80-15-9

LC50, (48h), Leuciscus idus: 17 mg/l (IUCLID).

LC50, (96h), Oncorhynchus mykiss: 3,9 mg/l (IUCLID).

EC50, (24h), Daphnia magna: 7 mg/l (IUCLID).

EC10, Pseudomonas putida: 103 mg/l/18h (IUCLID).

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LC50, (48h), Leuciscus idus: 493 mg/L (IUCLID).

### 12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant

not applicable

Biological degradability

The product is not biodegradable.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

### SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

### **Product**

Dispose of as hazardous waste.

Waste no. (recommended) 080409\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\*



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 8 / 10

## **SECTION 14: Transport information**

### 14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with

IMDG

NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

MDG

not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

not applicable

**IMDG** 

Air transport in accordance with IATA not applicable



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 9 / 10

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) 0 %

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 03)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation. H301 Toxic if swallowed.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects. H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H242 Heating may cause a fire.



Date printed 15.09.2016, Revision 15.09.2016

Version 04. Supersedes version: 03

Page 10 / 10

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50% LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

Customs Tariff not determined

Classification procedure Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method) STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

Modified position SECTION 16 been added: GENERAL REVIEW [CLP; REACH-(EU) 2015/830]

Copyright: Chemiebüro®